

# strada

**Designed for the modern café,  
with input from baristas**

The most technologically advanced traditional espresso machine featuring a barista-friendly design.

A lower profile invites customer engagement in a café setting, while also providing the barista an open, expansive work area.


The Strada platform has been designed to encourage creativity and customization so that each machine can be unique.




**la marzocco**

handmade in florence


# North America Strada Features and Specifications



**Auto Volumetric (AV)**



**Manual Paddle (MP)**



**Semi Automatic (EE)**

## Independent Boilers

Separate boilers for each group head allow baristas to optimize temperature for individual coffees.

## Thermal Stability System

As water passes through each element, temperature is further stabilized.

## Dual PID (coffee & steam)

Allows you to electronically control coffee & steam boiler temperatures.

## Hot Water Economizer

Enables you to fine-tune the tap water temperature for rinsing.

## Adjustable, Deep Drip Tray

Accommodates a variety of cup sizes.

## Exposed Groups

Ergonomics and workspace visibility.

## Insulated Boilers

Reduce energy consumption while contributing to temperature stability.

## Flow Restrictors

Flow restrictors resist scale formation and erosion.

## Digital Display

Intuitive programming makes it easy to adjust machine parameters.

## Performance Touch Steam Wand (AV only)

Vacuum-insulated double-walled steam wand remains cool to the touch while delivering high-volume dry steam.

## Personalized Color\*

Customizable colors based on the RAL color system, on request.

\*Special Order

## Proportional Steam Valve (EE & AV only)

Lever-style activation for proportional solenoid steam valve eliminates the need for regular maintenance.

## La Marzocco Electronics (AV only)

Proprietary electronics first introduced on the Linea PB drive intuitive programming and provides heads-up information and systems monitoring.

## Flow Meter (AV only)

A precision flow meter measures the flow of water applied to the coffee bed during brewing.

## Periscope Pressure Gauges (MP only)

Monitor pressure at coffee during extraction.

## Auto Backflush (EE & AV only)



**2 Group**



**3 Group**

Height (in)	19	19
Width (in)	32	40
Depth (in)	27	27
Weight (lbs)	217	286
Voltage (VAC, $\Phi$ , Hz)	208-240, 1, 60	208-240, 1, 60
Element Wattage	4900	6400
Steam Boiler Capacity (liters)	8.2	11.8
Coffee Boiler Capacity (liters)	1.3x2	1.3x3
Amp Service Required	30	50
Certifications	UL-197, NSF-8, CAN/CSA-C22.2 No. 109	
Configurations Available	Semi-Automatic (EE), Manual Paddle (MP), Auto Volumetric (AV)	